

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	((restart or re-start or reactivate or re-activate) and (((voltage or power) near supply) or (voltage near generat\$3)) and (control near circuit) and screen).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/14 20:22
L2	22	((restart or re-start or reactivate or re-activate) and (((voltage or power) near supply) or (voltage near generat\$3)) and (control\$3) and screen).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/14 20:23
L3	3	((restart or re-start or reactivate or re-activate) and (((voltage or power) near supply) or (voltage near generat\$3)) and (control\$3) and screen and display and pixel).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/14 20:24
S1	0	(Driv@3 near circuit) with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:14
S2	46914	(Driv\$3 near circuit) with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:14
S3	6751	(controll\$3 near circuit) with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:18
S4	241462	((storage near circuit) or (memory)) with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:17
S5	890	S2 and S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:18

S6	336	(voltage near supply near circuit) with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:33
S7	8	S5 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:19
S8	0	345/204.ccls	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 15:15
S9	3008	345/204.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:33
S10	66	S5 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:33
S11	0	("2004/0201581").URPN.	USPAT	OR	ON	2007/04/10 15:29
S12	0	("2004/0201581").URPN.	USPAT	OR	ON	2007/04/10 15:30
S13	8643	setup same (screen or display)	USPAT	OR	ON	2007/04/10 15:33
S14	20	S5 and S13	USPAT	OR	ON	2007/04/10 15:34
S15	69653	nonvolatile near (storage or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 11:04
S16	0	S15 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:05
S17	78	S15 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:05
S18	1	"10807912".rlan. or ("10".src. and "807912".ap.)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/04/10 18:15

S19	69653	nonvolatile near (storage or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 14:01
S20	59748	S19 and "5"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 14:01
S21	46914	(Driv\$3 near circuit) with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 14:01
S22	6751	(controll\$3 near circuit) with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 14:01
S23	241462	((storage near circuit) or (memory)) with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 14:01
S24	890	S21 and S22 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 14:01
S25	54	S19 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 14:02
S26	3	("5592240" "5963183" "6148112").PN. OR ("6753856").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/11 14:56
S27	130	(screen near setup) same automatic\$3	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/11 16:18
S28	3008	345/204.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 14:55
S29	1	S27 and S28	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/11 14:55
S30	0	S27 and S24	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/11 14:56
S31	83930	"345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 15:15

S32	2	S27 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 15:47
S33	266	setup near5 LCD	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 16:10
S34	30	S31 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 15:48
S35	8811	setup near (information or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 16:14
S36	360	S31 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 16:11
S37	13	S28 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 16:11
S38	75	screen near setup near (information or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 16:15
S39	9	S31 and S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 16:15
S40	18	(recall near3 setup) same screen	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/11 16:21
S41	14165	screen near3 adjust\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/11 16:22
S42	1276	S31 and S41	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/11 16:22
S43	67	S41 and S28	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/11 16:22
S44	162601	(nonvolatile near (storage or memory)) or EEPROM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 11:06

S45	46952	(Driv\$3 near circuit) with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 11:06
S46	6756	(controll\$3 near circuit) with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 11:06
S47	241703	((storage near circuit) or (memory)) with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 11:06
S48	891	S45 and S46 and S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 11:06
S49	92	S48 and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 13:26
S50	1117	((nonvolatile near memory) or (EEPROM))same (display near control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 13:27
S51	84018	"345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 13:28
S52	139	S50 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 13:28
S53	0	("2003/0221046").URPN.	USPAT	OR	ON	2007/04/12 15:50
S54	3	"20030189539"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 17:24
S55	40302	(voltage near supply) same determin\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 17:33

S56	51249	adjust\$4 near3 (screen or display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 17:30
S57	422	S55 and S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 17:30
S58	3248	345/204.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 17:30
S59	17	S58 and S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 17:30
S60	9686	(Power near supply) same ((determin\$5 or monitor \$3) near circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 17:34
S61	21	S58 and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 12:18
S62	2315	(restart or re-start) with ((voltage or power) near supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 12:19
S63	3248	345/204.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 12:20
S64	1	S63 and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 12:20
S65	88381	"345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 12:20
S66	30	S62 and S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 12:20

S67	2541	(restart or re-start or reactivate or re-activate) with ((voltage or power) near supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 18:24
S68	2	S67 and (345/204.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 18:25
S69	2638	(restart or re-start or reactivate or re-activate) with (((voltage or power) near supply) or (voltage near generat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 18:31
S70	2	S69 and (345/204.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 18:31
S71	7	S69 and (345/204-211.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 18:32
S72	5160	(restart or re-start or reactivate or re-activate) same (((voltage or power) near supply) or (voltage near generat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 18:37
S73	13	S72 and (345/204-211.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 18:37
S74	35	S69 and ("345"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 18:41
S75	2642	(restart or re-start or reactivate or re-activate) with (((voltage or power) near supply) or (voltage near generat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 17:04
S76	144	S75 and ("713"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 17:04
S77	48	S75 and (713/300.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 17:05

S78	2591	(restart or re-start or reboot or re-boot) with (((voltage or power) near supply) or (voltage near generat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 19:17
S79	35	S78 and ("345"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 19:18
S80	118	(reboot or re-boot) with (((voltage or power) near supply) or (voltage near generat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 19:19
S81	2	S80 and ("345"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 19:20
S82	311	(reboot or re-boot) same (((voltage or power) near supply) or (voltage near generat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 19:21
S83	7	S82 and ("345"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 19:21

9/14/2008 8:27:07 PM

C:\Documents and Settings\ychow\My Documents\EAST\Workspaces\10807912.wsp